

XTT - eXtensible Task Toolkit - Support #127

Replace hard-coded JSON/XML types in DataConverter with type lookup

2012-11-16 15:23 - Ingo Lütkebohle

Status:	Closed	Start date:	2012-11-16
Priority:	Normal	Due date:	
Assignee:	Ingo Lütkebohle	% Done:	100%
Category:	apps	Estimated time:	16.00 hours
Target version:			
Description			
Based on the new DAPI-JSON, and the proper RSB-Event unpacking, we can also replace the hacky converter infrastructure with proper type lookups, based on the metadata contained in the events.			

Associated revisions

Revision 2652 - 2012-11-16 15:46 - Ingo Lütkebohle

Basic implementation of new type loader for TIDE files (refs #127).
Tests all ignored for now.

Revision 2674 - 2012-11-20 15:46 - Ingo Lütkebohle

Add support for detecting and parsing RSB 04 data (refs #126 and refs #127).

Revision 2675 - 2012-11-20 15:47 - Ingo Lütkebohle

Add support for detecting and parsing RSB 04 data (refs #126 and refs #127).

Revision 2679 - 2012-11-20 15:51 - Ingo Lütkebohle

More recent DAPI provider versions are required for JSON type auto-detection (refs #127).

History

#1 - 2012-11-20 13:32 - Ingo Lütkebohle

- % Done changed from 0 to 70

See also r2669

#2 - 2012-11-26 13:49 - Ingo Lütkebohle

- Status changed from In Progress to Closed

- % Done changed from 70 to 100

Erledigt, zusätzlich mit r2681, r2685 und r2686.