

Cognitive Interaction Toolkit - Bug #333

Git with sub-dir projects fails to build maven projects

2014-11-21 12:14 - Norman Köster

Status:	Resolved	Start date:	2014-11-21
Priority:	Normal	Due date:	
Assignee:	Jan Moringen	% Done:	0%
Category:	build-generator	Estimated time:	0.00 hour
Target version:		Spent time:	0.00 hour
Description			
Issue:			
<p>I bootstrapped a local Jenkins to deploy the lsp-csrs-nightly distribution locally on a trusty machine. During this I get an error when building a Maven project which lies in a sub-directory within a git repo (Maven settings are set up as described in the tutorials). A different job for a python component, which accesses the same git but a different sub-dir, works fine. As far as I can see it, the project files are all correct. Am I doing something wrong here? Or is this a bug?</p>			
Context:			
<ul style="list-style-type: none">• LSP CSRA -- merge of distribution to trusty			
Versions:			
<ul style="list-style-type: none">• job configurator: build-generator version 0.3.37• Jenkins: /media/local/nkoester/csra-dist/jenkins/java -jar jenkins.war --version Running from: /media/local/nkoester/csra-dist/jenkins/jenkins.war webroot: \$user.home/.jenkins 1.580.1			
Git structure:			
<pre>git ├── [drwxr-x--- 4.0K] ltm-core-py/ │ ├── [drwxr-x--x 24] bin/ │ ├── [drwxr-x--- 92] configuration/ │ ├── [drwxr-x--- 4.0K] ltmcore/ │ ├── [-rw-r----- 478] setup.cfg │ ├── [-rw-r----- 1.6K] setup.py │ └── [drwxr-x--- 17] unittesting/ └── [drwxr-xr-x 85] ltm-motion-visualisation/ ├── [-rw-r--r-- 3.3K] pom.xml ├── [drwxr-xr-x 6] repo/ ├── [drwxr-xr-x 17] src/ └── [drwxr-xr-x 4.0K] target/</pre>			
py project file:			
<pre>{</pre>			

```

"name": "ltm-core",
"templates": [ "cor-lab", "setuptools" ],

"catalogue.component.title": "LTM Core",

"variables": {
  "keywords": [ "python" ],
  "repository": "https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core",
  "sub-directory": "ltm-core-py/",
}

"branches": [ "master" ],

"extra-provides": [ [ "setuptools", "pyscxml" ] ]
}

```

Maven Projcet file:

```

{
  "name": "csra-movement-visualisation",
  "templates": [ "cor-lab", "maven" ],

  "catalogue.component.title": "CSRA motion visualisation",
  "catalogue.component.nid": "0",

  "variables": {
    "keywords": [ "java" ],
    "repository": "https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core",
    "sub-directory": "ltm-motion-visualisation/",
  }

  "branches": [ "master" ],
  "maven.targets": [ "appassembler:assemble" ]
}

```

Error Message in maven build:

```

Started by upstream project "csra-movement-visualisation-master-toolkit-nightly" build number 6
originally caused by:
  Started by user anonymous
  Started by user anonymous
  Started by user anonymous
Building in workspace
 /media/local/nkoester/csra-dist/jenkins/jobs/csra-movement-visualisation-master-toolkit-nightly/workspace/label/master
Wiping out workspace first.
Cloning the remote Git repository
Cloning repository https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core
> git init /media/local/nkoester/csra-dist/jenkins/jobs/csra-movement-visualisation-master-toolkit-nightly/workspace/label/master #
timeout=10
Fetching upstream changes from https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core
> git --version # timeout=10
> git fetch --tags --progress https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core +refs/heads/*:refs/remotes/origin/*
> git config remote.origin.url https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core # timeout=10
> git config remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
> git config remote.origin.url https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core # timeout=10
Fetching upstream changes from https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core
> git fetch --tags --progress https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core +refs/heads/*:refs/remotes/origin/*
Checking out Revision a5090ae67c70844c74cd96249860d866c975729a (origin/master)
> git config core.sparsecheckout # timeout=10
> git checkout -f a5090ae67c70844c74cd96249860d866c975729a # timeout=10
> git branch -a # timeout=10

```

```
> git rev-parse remotes/origin/master^{commit} # timeout=10
> git checkout -b master a5090ae67c70844c74cd96249860d866c975729a
> git rev-list a5090ae67c70844c74cd96249860d866c975729a # timeout=10
[master] $ /bin/sh -xe /tmp/hudson3342237162529446950.sh
[master] $ mvn -Dlabel=master -DskipTests=true
-DaltDeploymentRepository=toolkit::default::file:///media/local/nkoester/vol/csra/releases/nightly/share/repository
-Dmaven.repo.local=/homes/nkoester/.m2/repo-toolkit-nightly
```

[INFO] Scanning for projects...

[INFO] -----

[INFO] BUILD FAILURE

[INFO] -----

[INFO] Total time: 0.143s

[INFO] Finished at: Fri Nov 21 12:00:32 CET 2014

[INFO] Final Memory: 7M/105M

[INFO] -----

[ERROR] The goal you specified requires a project to execute but there is no POM in this directory
(/media/local/nkoester/csra-dist/jenkins/jobs/csra-movement-visualisation-master-toolkit-nightly/workspace/label/master). Please
verify you invoked Maven from the correct directory. -> [Help 1]

[ERROR]

[ERROR] To see the full stack trace of the errors, re-run Maven with the -e switch.

[ERROR] Re-run Maven using the -X switch to enable full debug logging.

[ERROR]

[ERROR] For more information about the errors and possible solutions, please read the following articles:

[ERROR] [Help 1] <http://cwiki.apache.org/confluence/display/MAVEN/MissingProjectException>

Build step 'Invoke top-level Maven targets' marked build as failure

Skipping publisher since build result is FAILURE

Finished: FAILURE

Success Message in py build:

Started by upstream project "ltm-core-master-toolkit-nightly" build number 3

originally caused by:

Started by build flow distribution-buildflow.nightly#2

Building in workspace /media/local/nkoester/csra-dist/jenkins/jobs/ltm-core-master-toolkit-nightly/workspace/label/master

Wiping out workspace first.

Cloning the remote Git repository

Cloning repository <https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core>

```
> git init /media/local/nkoester/csra-dist/jenkins/jobs/ltm-core-master-toolkit-nightly/workspace/label/master # timeout=10
```

Fetching upstream changes from <https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core>

```
> git --version # timeout=10
```

```
> git fetch --tags --progress https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core +refs/heads/*:refs/remotes/origin/*
```

```
> git config remote.origin.url https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core # timeout=10
```

```
> git config remote.origin.fetch +refs/heads/*:refs/remotes/origin/* # timeout=10
```

```
> git config remote.origin.url https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core # timeout=10
```

Fetching upstream changes from <https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core>

```
> git fetch --tags --progress https://projects.cit-ec.uni-bielefeld.de/git/ltm.ltm-core +refs/heads/*:refs/remotes/origin/*
```

Checking out Revision a5090ae67c70844c74cd96249860d866c975729a (origin/master)

```
> git config core.sparsecheckout # timeout=10
```

```
> git checkout -f a5090ae67c70844c74cd96249860d866c975729a # timeout=10
```

```
> git branch -a # timeout=10
```

```
> git rev-parse remotes/origin/master^{commit} # timeout=10
```

```
> git checkout -b master a5090ae67c70844c74cd96249860d866c975729a
```

```
> git rev-list a5090ae67c70844c74cd96249860d866c975729a # timeout=10
```

```
[master] $ /bin/sh -xe /tmp/hudson3623471065535742669.sh
```

```
+ find . -mindepth 1 -maxdepth 1 -not -name ltm-core-py -exec rm -rf {} ;
```

```
+ mktemp -d ./XXXXXXXXXX
```

```
+ temp=./NkH3v4S6
```

```
+ mv ltm-core-py ./NkH3v4S6/
```

```
+ find ./NkH3v4S6 -mindepth 2 -maxdepth 2 -exec mv {} . ;
```

```
+ rm -r ./NkH3v4S6
```

```
[master] $ /bin/sh -xe /tmp/hudson4739054377226438193.sh
+ PYTHON=python2.7
+ mkdir -p /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/
+ export

+ python2.7 setup.py setopt -c install -o prefix -s /media/local/nkoester/vol/csra/releases/nightly
running setopt
Writing setup.cfg
+ python2.7 setup.py setopt -c install -o force -s true
running setopt
Writing setup.cfg
+ python2.7 setup.py install
running install
running bdist_egg
running egg_info
creating ltm_core_py.egg-info
writing requirements to ltm_core_py.egg-info/requires.txt
writing ltm_core_py.egg-info/PKG-INFO
writing top-level names to ltm_core_py.egg-info/top_level.txt
writing dependency_links to ltm_core_py.egg-info/dependency_links.txt
writing manifest file 'ltm_core_py.egg-info/SOURCES.txt'
reading manifest file 'ltm_core_py.egg-info/SOURCES.txt'
writing manifest file 'ltm_core_py.egg-info/SOURCES.txt'
installing library code to build/bdist.linux-x86_64/egg
running install_lib
running build_py
creating build
creating build/lib.linux-x86_64-2.7
creating build/lib.linux-x86_64-2.7/ltmcore
copying ltmcore/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore
copying ltmcore/log_factory.py -> build/lib.linux-x86_64-2.7/ltmcore
copying ltmcore/startup_exception.py -> build/lib.linux-x86_64-2.7/ltmcore
copying ltmcore/ltm_runner.py -> build/lib.linux-x86_64-2.7/ltmcore
copying ltmcore/ltm_util.py -> build/lib.linux-x86_64-2.7/ltmcore
copying ltmcore/config_factory.py -> build/lib.linux-x86_64-2.7/ltmcore
creating build/lib.linux-x86_64-2.7/ltmcore/core
copying ltmcore/core/ltm_core.py -> build/lib.linux-x86_64-2.7/ltmcore/core
copying ltmcore/core/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/core
creating build/lib.linux-x86_64-2.7/ltmcore/persistancy
copying ltmcore/persistancy/persistancy_handler.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy
copying ltmcore/persistancy/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy
copying ltmcore/persistancy/database_manager.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy
copying ltmcore/persistancy/query_manager.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy
creating build/lib.linux-x86_64-2.7/ltmcore/communications
copying ltmcore/communications/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/communications
copying ltmcore/communications/communication_manager.py -> build/lib.linux-x86_64-2.7/ltmcore/communications
creating build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb
copying ltmcore/persistancy/mongodb/mongo_handler_old.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb
copying ltmcore/persistancy/mongodb/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb
copying ltmcore/persistancy/mongodb/mongodb_handler.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb
creating build/lib.linux-x86_64-2.7/ltmcore/persistancy/neo4j
copying ltmcore/persistancy/neo4j/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy/neo4j
copying ltmcore/persistancy/neo4j/neo4j_handler.py -> build/lib.linux-x86_64-2.7/ltmcore/persistancy/neo4j
creating build/lib.linux-x86_64-2.7/ltmcore/communications/middleware
copying ltmcore/communications/middleware/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/communications/middleware
creating build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb
copying ltmcore/communications/middleware/rsb/rsb_connector.py ->
build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb
copying ltmcore/communications/middleware/rsb/rsb_event_de_encoder.py ->
build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb
copying ltmcore/communications/middleware/rsb/__init__.py -> build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb
copying ltmcore/communications/middleware/rsb/mp_rsb_listener.py ->
build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb
creating build/bdist.linux-x86_64
```

```
creating build/bdist.linux-x86_64/egg
creating build/bdist.linux-x86_64/egg/ltmcore
copying build/lib.linux-x86_64-2.7/ltmcore/__init__.py -> build/bdist.linux-x86_64/egg/ltmcore
copying build/lib.linux-x86_64-2.7/ltmcore/log_factory.py -> build/bdist.linux-x86_64/egg/ltmcore
creating build/bdist.linux-x86_64/egg/ltmcore/core
copying build/lib.linux-x86_64-2.7/ltmcore/core/ltm_core.py -> build/bdist.linux-x86_64/egg/ltmcore/core
copying build/lib.linux-x86_64-2.7/ltmcore/core/__init__.py -> build/bdist.linux-x86_64/egg/ltmcore/core
copying build/lib.linux-x86_64-2.7/ltmcore/startup_exception.py -> build/bdist.linux-x86_64/egg/ltmcore
copying build/lib.linux-x86_64-2.7/ltmcore/ltm_runner.py -> build/bdist.linux-x86_64/egg/ltmcore
copying build/lib.linux-x86_64-2.7/ltmcore/ltm_util.py -> build/bdist.linux-x86_64/egg/ltmcore
copying build/lib.linux-x86_64-2.7/ltmcore/config_factory.py -> build/bdist.linux-x86_64/egg/ltmcore
creating build/bdist.linux-x86_64/egg/ltmcore/persistancy
creating build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb/mongo_handler_old.py ->
build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb/__init__.py ->
build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/mongodb/mongodb_handler.py ->
build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/persistancy_handler.py -> build/bdist.linux-x86_64/egg/ltmcore/persistancy
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/__init__.py -> build/bdist.linux-x86_64/egg/ltmcore/persistancy
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/database_manager.py -> build/bdist.linux-x86_64/egg/ltmcore/persistancy
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/query_manager.py -> build/bdist.linux-x86_64/egg/ltmcore/persistancy
creating build/bdist.linux-x86_64/egg/ltmcore/persistancy/neo4j
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/neo4j/__init__.py -> build/bdist.linux-x86_64/egg/ltmcore/persistancy/neo4j
copying build/lib.linux-x86_64-2.7/ltmcore/persistancy/neo4j/neo4j_handler.py ->
build/bdist.linux-x86_64/egg/ltmcore/persistancy/neo4j
creating build/bdist.linux-x86_64/egg/ltmcore/communications
copying build/lib.linux-x86_64-2.7/ltmcore/communications/__init__.py -> build/bdist.linux-x86_64/egg/ltmcore/communications
creating build/bdist.linux-x86_64/egg/ltmcore/communications/middleware
copying build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/__init__.py ->
build/bdist.linux-x86_64/egg/ltmcore/communications/middleware
creating build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb
copying build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb/rsb_connector.py ->
build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb
copying build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb/rsb_event_de_encoder.py ->
build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb
copying build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb/__init__.py ->
build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb
copying build/lib.linux-x86_64-2.7/ltmcore/communications/middleware/rsb/mp_rsb_listener.py ->
build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb
copying build/lib.linux-x86_64-2.7/ltmcore/communications/communication_manager.py ->
build/bdist.linux-x86_64/egg/ltmcore/communications
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/log_factory.py to log_factory.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/core/ltm_core.py to ltm_core.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/core/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/startup_exception.py to startup_exception.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/ltm_runner.py to ltm_runner.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/ltm_util.py to ltm_util.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/config_factory.py to config_factory.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb/mongo_handler_old.py to mongo_handler_old.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/mongodb/mongodb_handler.py to mongodb_handler.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/persistancy_handler.py to persistancy_handler.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/database_manager.py to database_manager.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/query_manager.py to query_manager.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/neo4j/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/persistancy/neo4j/neo4j_handler.py to neo4j_handler.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/communications/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb/rsb_connector.py to rsb_connector.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb/rsb_event_de_encoder.py to
rsb_event_de_encoder.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb/__init__.py to __init__.pyc
byte-compiling build/bdist.linux-x86_64/egg/ltmcore/communications/middleware/rsb/mp_rsb_listener.py to mp_rsb_listener.pyc
```

```
byte-compiling build/bdist.linux-x86_64/egg/ltmlcore/communications/communication_manager.py to communication_manager.pyc
creating build/bdist.linux-x86_64/egg/EGG-INFO
installing scripts to build/bdist.linux-x86_64/egg/EGG-INFO/scripts
running install_scripts
running build_scripts
creating build/scripts-2.7
copying and adjusting bin/ltml-core-py -> build/scripts-2.7
copying configuration/csra-plenary-demo.ini -> build/scripts-2.7
changing mode of build/scripts-2.7/ltml-core-py from 644 to 755
changing mode of build/scripts-2.7/csra-plenary-demo.ini from 644 to 755
creating build/bdist.linux-x86_64/egg/EGG-INFO/scripts
copying build/scripts-2.7/csra-plenary-demo.ini -> build/bdist.linux-x86_64/egg/EGG-INFO/scripts
copying build/scripts-2.7/ltml-core-py -> build/bdist.linux-x86_64/egg/EGG-INFO/scripts
changing mode of build/bdist.linux-x86_64/egg/EGG-INFO/scripts/csra-plenary-demo.ini to 755
changing mode of build/bdist.linux-x86_64/egg/EGG-INFO/scripts/ltml-core-py to 755
copying ltml_core_py.egg-info/PKG-INFO -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ltml_core_py.egg-info/SOURCES.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ltml_core_py.egg-info/dependency_links.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ltml_core_py.egg-info/requires.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
copying ltml_core_py.egg-info/top_level.txt -> build/bdist.linux-x86_64/egg/EGG-INFO
zip_safe flag not set; analyzing archive contents...
ltmlcore.ltml_runner: module references __file__
creating dist
creating 'dist/ltml_core_py-0.0.1-py2.7.egg' and adding 'build/bdist.linux-x86_64/egg' to it
removing 'build/bdist.linux-x86_64/egg' (and everything under it)
Processing ltml_core_py-0.0.1-py2.7.egg
removing '/media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/ltml_core_py-0.0.1-py2.7.egg' (and everything
under it)
creating /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/ltml_core_py-0.0.1-py2.7.egg
Extracting ltml_core_py-0.0.1-py2.7.egg to /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages
ltml-core-py 0.0.1 is already the active version in easy-install.pth
Installing csra-plenary-demo.ini script to /media/local/nkoester/vol/csra/releases/nightly/bin
Installing ltml-core-py script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installed /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/ltml_core_py-0.0.1-py2.7.egg
Processing dependencies for ltml-core-py==0.0.1
Searching for py2neo==2.0
Best match: py2neo 2.0
Processing py2neo-2.0-py2.7-linux-x86_64.egg
py2neo 2.0 is already the active version in easy-install.pth
Installing neoget script to /media/local/nkoester/vol/csra/releases/nightly/bin
Installing geoff script to /media/local/nkoester/vol/csra/releases/nightly/bin
Installing cypher script to /media/local/nkoester/vol/csra/releases/nightly/bin
Installing neobox script to /media/local/nkoester/vol/csra/releases/nightly/bin

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/py2neo-2.0-py2.7-linux-x86_64.egg
Searching for Django==1.7.1
Best match: Django 1.7.1
Processing Django-1.7.1-py2.7.egg
Django 1.7.1 is already the active version in easy-install.pth
Installing django-admin.py script to /media/local/nkoester/vol/csra/releases/nightly/bin
Installing django-admin script to /media/local/nkoester/vol/csra/releases/nightly/bin

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/Django-1.7.1-py2.7.egg
Searching for pymongo==2.7.2
Best match: pymongo 2.7.2
Processing pymongo-2.7.2-py2.7-linux-x86_64.egg
pymongo 2.7.2 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/pymongo-2.7.2-py2.7-linux-x86_64.egg
Searching for termcolor==1.1.0
Best match: termcolor 1.1.0
Processing termcolor-1.1.0-py2.7.egg
termcolor 1.1.0 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/termcolor-1.1.0-py2.7.egg
Searching for rstconverters==0.11.0
```

Best match: rstconverters 0.11.0

Processing rstconverters-0.11.0-py2.7-linux-x86_64.egg

rstconverters 0.11.0 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/rstconverters-0.11.0-py2.7-linux-x86_64.egg

Searching for rsb-python==0.11.0

Best match: rsb-python 0.11.0

Processing rsb_python-0.11.0-py2.7.egg

rsb-python 0.11.0 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/rsb_python-0.11.0-py2.7.egg

Searching for setuptools-lint==0.3

Best match: setuptools-lint 0.3

Processing setuptools_lint-0.3-py2.7.egg

setuptools-lint 0.3 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/setuptools_lint-0.3-py2.7.egg

Searching for pylint==1.3.1

Best match: pylint 1.3.1

Processing pylint-1.3.1-py2.7.egg

pylint 1.3.1 is already the active version in easy-install.pth

Installing pylint script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing pylint-gui script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing symilar script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing epylint script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing pyreverse script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing pylint script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing epylint script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing pyreverse script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing pylint-gui script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing symilar script to /media/local/nkoester/vol/csra/releases/nightly/bin

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/pylint-1.3.1-py2.7.egg

Searching for nosexcover==1.0.10

Best match: nosexcover 1.0.10

Processing nosexcover-1.0.10-py2.7.egg

nosexcover 1.0.10 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/nosexcover-1.0.10-py2.7.egg

Searching for coverage==4.0a1

Best match: coverage 4.0a1

Processing coverage-4.0a1-py2.7-linux-x86_64.egg

coverage 4.0a1 is already the active version in easy-install.pth

Installing coverage2 script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing coverage-2.7 script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing coverage script to /media/local/nkoester/vol/csra/releases/nightly/bin

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/coverage-4.0a1-py2.7-linux-x86_64.egg

Searching for nose==1.3.1

Best match: nose 1.3.1

Removing nose 1.2.1 from easy-install.pth file

nose 1.3.1 is already the active version in easy-install.pth

Installing nosetests script to /media/local/nkoester/vol/csra/releases/nightly/bin

Installing nosetests-2.7 script to /media/local/nkoester/vol/csra/releases/nightly/bin

Using /usr/lib/python2.7/dist-packages

Searching for restlib==0.9

Best match: restlib 0.9

Processing restlib-0.9-py2.7.egg

restlib 0.9 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/restlib-0.9-py2.7.egg

Searching for suds==0.4

Best match: suds 0.4

Processing suds-0.4-py2.7.egg

suds 0.4 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/suds-0.4-py2.7.egg
Searching for Louie==1.1
Best match: Louie 1.1
Processing Louie-1.1-py2.7.egg
Louie 1.1 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/Louie-1.1-py2.7.egg
Searching for rst==0.11.0
Best match: rst 0.11.0
Processing rst-0.11.0-py2.7.egg
rst 0.11.0 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/rst-0.11.0-py2.7.egg
Searching for protobuf==2.5.0
Best match: protobuf 2.5.0
protobuf 2.5.0 is already the active version in easy-install.pth

Using /usr/lib/python2.7/dist-packages
Searching for astroid==1.2.1
Best match: astroid 1.2.1
Processing astroid-1.2.1-py2.7.egg
astroid 1.2.1 is already the active version in easy-install.pth

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/astroid-1.2.1-py2.7.egg
Searching for logilab-common==0.63.0
Best match: logilab-common 0.63.0
Processing logilab_common-0.63.0-py2.7.egg
logilab-common 0.63.0 is already the active version in easy-install.pth
Installing pytest script to /media/local/nkoester/vol/csra/releases/nightly/bin

Using /media/local/nkoester/vol/csra/releases/nightly/lib/python2.7/site-packages/logilab_common-0.63.0-py2.7.egg
Searching for six==1.5.2
Best match: six 1.5.2
six 1.5.2 is already the active version in easy-install.pth

Using /usr/lib/python2.7/dist-packages
Finished processing dependencies for ltm-core-py==0.0.1
Finished: SUCCESS

Thanks in advance <3

Associated revisions

Revision 3e408be5 - 2014-12-01 17:17 - Jan Moringen

Improved builder ordering in templates/{toolkit,maven}.template

refs #333, refs #307, refs #344

- templates/T001-toolkit.template: pre-build-hook before <all> and before git
- templates/T200-maven.template: maven.prepare-version before maven; maven.deploy-dependencies after maven

History

#1 - 2014-11-21 16:42 - Jan Moringen

- Category changed from *distinstaller* to *build-generator*

The problem is that the generated has two shell fragments:

1. sub-directory handling
2. Maven installation shell stuff

Producing an ordering for these two and the Maven aspect is not possible with the current generator.

#2 - 2014-11-21 16:45 - Jan Moringen

Thanks for the detailed and well written report, btw.

#3 - 2014-11-23 15:07 - Florian Lier

- *File wrong_order_git_maven.png added*

If it helps, here is a screenshot of the (already manually corrected) jenkins job.

If you create a maven based project with the build-gen (v .37) the "find and move" part was actually after the maven (build, deploy, assemble ...) part. So maven could not find the POM.xml.

#4 - 2014-11-26 14:28 - Florian Lier

- *Status changed from New to Feedback*

#5 - 2014-12-19 12:17 - Florian Lier

- *Status changed from Feedback to Resolved*

Files

wrong_order_git_maven.png	67.138 KB	2014-11-23	Florian Lier
---------------------------	-----------	------------	--------------